
Catalog No. 45

STRENGTH WHERE STRENGTH IS NEEDED

GUARANTEED SINCE 1868

The world's finest industrial vises





MACHINE & FOUNDRY COMPANY



VISES ARE BUILT

STRENGTH

When you buy Athol vises you get products that are engineered and built to take life-long grueling punishment. They are specifically designed for various uses, based on over 90 years of specialized vise experience.

All Athol vises are made to Athol's own rigid specifications, using carefully controlled material analysis, and meet or exceed Federal specifications. Athol standards of manufacture provide rugged dependability in the world's finest industrial vises.

This is the significance of the expression, "strength where strength is needed". We sincerely believe there is no better vise made than an Athol vise.

Solid construction throughout. Balanced weight concentrated where strength is needed. All Athol vises are cast in our own foundry.


SOME IMPORTANT AND EXCLUSIVE



FEATURES ARE ILLUSTRATED

- 1—HEAVY HORN provides added rigidity when vise is opened to full capacity.

 This is an Athol first.
- 2—BUTTRESS THREAD adds 50% more strength at the root of the thread where it is most needed. An Athol exclusive.
- 3—SWIVEL BASE cannot slip because grooves are cast in, like an internal ring gear, and tapered DROP-FORGED clamp bolt is similarly grooved. Clamp handle is easy to operate, swings back out of the way of work. Two fingers will tighten the clamp, but two men cannot turn the vise. This is another Athol first.
- 4—SPRING SCREW FASTENER holds the buttress-threaded screw tight. NO SLIP-PAGE OR BACKLASH. Wear is compensated by this spring screw, held securely by two collars and a pin. Another Athol first.
- 5—JAW FACINGS are made of tool steel, machine-milled deeply, and welded in place. They cannot come loose, and will last as long as the vise. There is no substitute for welded jaws.
- 6-FRONT AND BACK JAWS are made of solid cast iron.
- Optional RATCHET HANDLE is useful to the toolmaker for making quick adjustments. Again, only Athol provides this feature.




BRASS VISE JAW CAPS

Designed to cover serrated jaw faces snugly to prevent marking of soft materials when held rigidly. Speedily attached and removed.

SIZE	LIST
3"	\$4.60
3 1/2"	5.40
4"	6.40
4 1/2 "	7.40
5"	9.20

FOR RUGGED, LONG-LASTING SERVICE


WHERE STRENGTH IS NEEDED



ALL ATHOL VISES ARE INDIVIDUALLY PACKAGED



Meet all requirements of the smallest to the largest machine shop. Available in three types and wide range of sizes.



STATIONARY JAW and BASE

For rugged dependability you can't beat this "workhorse". High quality at economical price.


Catalog No.	Jaw Width,	Max. Jaw Opening, in.	Weight, Ib.	List Price
613	3	4	22	\$28.00
*6131/2	3 1/2	5	30	32.00
*614	4	6	47	38.00
*6141/2	4 1/2	7	65	48.00
*615	5	8	82	62.00
*616	6	9 3/4	148	116.00
618	8	121/4	257	220.00


*Can be furnished with replaceable steels if desired.

STATIONARY JAW, **SWIVEL BASE**

Incorporates the famous Athol positive-lock swivel. Designed for life-long service. See No. 3, page 2.

Catalog No.	Jaw Width,	Max. Jaw Opening, in.	Weight, Ib.	List Price
623	3	4	27	\$36.00
*623 1/2	3 1/2	5	40	42.00
*624	4	6	57	50.00
*6241/2	4 1/2	7	75	62.00
*625	5.	8	95	84.00
*626	6	9 3/4	178	144.00
628	8 -	121/4	303	280.00





SWIVEL JAW, SWIVEL BASE

Adjustable back jaw stationary with pin in place. Removal of pin allows adjustment for tapered work with maximum gripping. Especially adaptable for tool and die room for wide range of work.

Cat. No.	Jaw Width,	Max. Jaw Opening, in.	Weight, lb.	List Price	
643 1/2	3 1/2	4 1/2	40	\$60.00	
644 1/2	4 1/2	61/8	80	84.00	
646	6	.9 3/4	178	180.00	

AGhol

Swivel indexing base is removable. Base accurately graduated over 180 degrees on indexing machine — not hand stamped. Easily set for any angle required. Vise can be easily removed from swivel base by loosening two bolts, and used as plain milling machine vise. Removable jaw facings made of hardened alloy tool steel.


Catalog No.	1024	1026	1027
Jaw Width, in.	4	6	7
Max. Jaw Opening, in.	3 1/8	4	4 3/4
Jaw Depth, in.	1 3/8	1 5/8	1 5/8
Over-all Height,			
with base, in.	4 3/8	5 5/8	5 3/4
Over-all Height,			
without base, in.	2 7/8	3 3/4	3 3/4
Swivel Base Dia., in.	8 1/4	101/8	113/8
Width, without			
base, in.	7 3/8	91/4	10 5/8
Over-all Length, in.	13 1/8	17	201/4
Weight, Ib.	32	70	103
List Price, with base	\$62.50	\$81.50	\$136.50
List Price, without base	\$50.50	\$64.50	\$115.50

STRENGTH WHERE STRENGTH IS NEEDED

TRENGTH WHERE STRENGTH IS NEEDED

Use them in place of expensive jigs and fixtures.


Dependable. Accurate.



DRILL PRESS AND MILLING MACHINE SPEED VISE

Designed for speed in drilling and milling. Replaces highpriced jigs and fixtures. Full movement of handle opens jaws ½ in. Attaching special jaws converts vise into special jig or fixture.


Catalog No.	Jaw Width, in.	Max. Jaw Opening, in.	Weight, lb.	List Price	
813	3	3 1/8	13	\$52.00	




STANDARD DRILL PRESS VISE

Standard drill press and milling machine vise. Built for years and years of rugged service.

	Jaw	Max. Jaw	****	
Catalog No.	Width, in.	Opening, in.	Weight, Ib.	List Price
9131/2	3 1/2	4 1/3	14	\$18.75



AGhol




AGhol

HEAVY DUTY DESIGN FOR ALL CONSTRUCTION and MAINTENANCE USES

Vise is heavy enough to use in bending heavy iron bars. 5" x 4" of gripping surface. 6" depth from top of jaw to screw. Only back jaw moves, keeping work on bench. Serrated replaceable tool-steel jaws.

Catalog No.	Width, in.	Max Jaw Opening, in.	Pipe Size, in.	Weight, Ib.	List Price	
1115	5	7	1/8 - 6	150	\$105.00	



COMBINATION

STRENGTH WHERE STRENGTH IS NEEDED


STATIONARY JAW, SWIVEL BASE

Jaws withstand strain of pipe work, made of hardened tool steel. Stands up under tough service. Easily replaceable grips do not project beyond face of vise jaws.

Catalog No.	Jaw Width, in.	Max. Jaw Opening, in.	Pipe Size, in.	Weight, Ib.	List Price
323 1/2	3 1/2	4 1/4	1/8 - 21/2	46	\$52.00
324 1/2 X	4 1/2	61/4	1/8 - 3 1/2	85	74.00
325X	5	7 5/8	1/8 - 4 1/2	115	114.00
326X	6	8 5/8	1/4 - 6	215	180.00

STEAMFITTERS'

STRENGTH WHERE STRENGTH IS NEEDED



PLUMBERS'

STRENGTH WHERE STRENGTH IS NEEDED

Tool-steel interlocking replaceable jaws are heat treated and milled for long-life. Heavy-duty malleable frame. Self-locking hook. Steel screw with tapered-ball end handle.

Catalog No.	Pipe Size, in.	Weight, lb.	List Price
212	1/8 - 2	10	\$12.35
2121/2	1/8 - 21/2	14	14.60
2131/2	1/8 - 3 1/2	18	22.15
2141/2	1/8 - 4 1/2	30	28.80
216	1/8 - 6	49	65.00
218	1 - 8	81	131.50




STATIONARY JAW, SWIVEL BASE

Designed especially for sheet-metal and wood working. Has extra-long beam and high, rigid, smooth-faced jaws to grip large pieces firmly. Made with material identical to Athol machinists' vises.

Catalog No.	Jaw Width, in.	Max. Jaw Opening, in.	Weight, Ib.	List Price
424 1/2 X	4 1/2	101/2	87	\$70.00

AGhol






SHEETMETAL

STRENGTH WHERE STRENGTH IS NEEDED

VIJLJ



INGTH WHERE STRENGTH IS NEEDED

Designed especially for rugged, dependable service in private garage, home workshop, farm and service station. An excellent normal-duty vise where heavy duty is not required.

Catalog No.	Jaw Width, in.	Max. Jaw Opening, in.	Weight, Ib.	List Price
114X	4	51/4	30	\$23.50
1141/2 X	4 1/2	61/4	41	26.75

MACHINISTS' VISES WITH RATCHET HANDLES


STATIONARY JAW, SWIVEL BASE, or STATIONARY BASE

Suitable for tool-room or duplication work. Handle is easily set at any convenient angle for grip and leverage.

Catalog No.	Jaw Width, in.	Max. Jaw Opening, in.	Weight, Ib.	List Price
	Stationar	y Jaw, Station	ary Base	
613RH	3	4	22	\$33.75
6131/2 RH	31/2	5	30	38.50
614RH	4	6	47	45.50
	Station	ary Jaw, Swive	l Base	
623RH	3	4	27	\$41.50
623 1/2 RH	3 1/2	5	40	48.50
624RH	4	6	57	57.50

INCOMPITIONALLY CHAPANTEED

AGhol



STRENGTH WHERE STRENGTH IS NEEDED

Replaceable Pipe Grips
Athol Exclusive Buttress Thread
360° Swivel Base
Solid Steel Sliding Bar
Athol Exclusive Locking Nut and Handle
Replaceable Tool Steel Jaws

Jaw Width 3½ in.
Jaw Opening 3 in.
Pipe Jaw Capacity 1/8 in. to 11/4 in.

WEIGHT 17 1/2 lbs.

List \$11.50 EAST List 13.25 WEST

Minimum Order, One Case—6 to Case

AGhol

STATIONARY JAW. SWIVEL BASE

The best for home workshop or garage. Unmatched features. Full 1 ½" bearing on sides and screw. Anvil surface. Solid steel slides. Athol buttress thread. Swivel-wrench locking. Full 360 deg. swivel base. Solid-screw backthrust collar. Tapered no-pinch handle. Replaceable pipe grips. Replaceable steel serrated jaws.


Catalog No.	Jaw Width, in.	Max. Jaw Opening, in.	Pipe Size, in.	Weight, Ib.	List Price
023	3	3	1/8 - 1	14	\$15.00
023 1/2	3 1/2	3 3/4	1/8 - 1 1/4	19	16.50
024	4	5	1/8 - 2	27	21.00

AGD MADENASS OF STREET OF

UNIVERSAL

STRENGTH WHERE STRENGTH IS NEEDED

AIGES



PRECISION INSTRUMENT

STRENGTH WHERE STRENGTH IS NEEDED

For makers of small precision instruments. Same highquality workmanship and material as Athol machinists' vises. Made with ground smooth jaws only.

Catalog No.	Jaw Width, in.	Max. Jaw Opening, in.	Weight, Ib.	List Price
622 1/2	2 1/2	3 1/2	16	\$28.40

YOUR DISTRIBUTOR

ATHOL VISES

Controlled Material Analysis - Made to Athol Rigid Specifications

ATHOL MACHINE & FOUNDRY CO.

Athol, Massachusetts, U. S. A.

SALES OFFICES

11 Warren St. New York, N. Y. 605 W. Washington Blvd. Chicago 6, Ill.

1515 15th Ave. W. Seattle, Wash.

2864 Rock Glen Ave. Los Angeles, Cal.

Athol Stocking Distributors' Net Price Sheet

TERMS OF PAYMENT: Net 30 days, 2% for cash if paid on or before 10th of the month following shipment.

DELIVERY: F. O. B. Athol, Massachusetts. On orders of \$150.00 net or over we will allow the lowest available rate—not including storder delivery—to destination in the continental United States, (except Alaska, where freight will be allowed to Seattle, Washington). No freight allowed on orders less than \$150.00 net invoice value.

SALES TAXES: If any, are to be charged as a separate item, not subject to cash discount.

RETURNED GOODS will not be accepted for credit without our permission and transportation charges prepaid. A minimum charge of 10% will be made to cover handling (except for defective goods or error made on our part). Goods returned must show date and register number of invoice.

We will honor no cancellation after shipment has been made.

Prices and Terms subject to change without notice.

Distributors are urgently requested to sell at not less than our exact Net Resale Price.

	Maciminists Viscs	Stationary saw	and Stationary Base	
	CONTRACTOR OF THE PARTY OF THE	Charles - Berlinson at	Athol Stocking	Resale
Vise	Jaw	List	Distributor	Prices
No.	Inches	Price	at 12-30%	at 12%
613	3	\$28.00	\$17.24	\$24.64
6131/2	31/2	32.00	19.71	28.16
614	4	38.00	23.40	33.44
6141/2	41/2	48.00	29.56	42.24
615	5	62.00	38.19	54.56
616	6	116.00	71.45	102.08
618	8	220.00	135.52	193.60
			v and Swivel Base	
	Machinists' Vis	es—Stationary Jav	v and Swivel Base	
623	Machinists' Vise	\$36.00		\$31.68
623 623½		\$36.00 42.00	v and Swivel Base \$22.17 25.87	\$31.68 36.96
	3 3½ 4	\$36.00 42.00 50.00	\$22.17	
6231/2	3 3½	\$36.00 42.00 50.00 62.00	\$22.17 25.87 30.80 38.19	36.96
623½ 624 624½ 625	3 3½ 4	\$36.00 42.00 50.00 62.00 84.00	\$22.17 25.87 30.80 38.19 51.74	36.96 44.00
623½ 624 624½ 625 626	3 3½ 4 4½ 5 6	\$36.00 42.00 50.00 62.00 84.00 144.00	\$22.17 25.87 30.80 38.19 51.74 88.70	36.96 44.00 54.56 73.92 126.72
623½ 624 624½ 625	3 3½ 4 4½	\$36.00 42.00 50.00 62.00 84.00	\$22.17 25.87 30.80 38.19 51.74	36.96 44.00 54.56 73.92
623½ 624 624½ 625 626	3 3½ 4 4½ 5 6 8	\$36.00 42.00 50.00 62.00 84.00 144.00 280.00	\$22.17 25.87 30.80 38.19 51.74 88.70 172.48	36.96 44.00 54.56 73.92 126.72
623½ 624 624½ 625 626	3 3½ 4 4½ 5 6 8	\$36.00 42.00 50.00 62.00 84.00 144.00	\$22.17 25.87 30.80 38.19 51.74 88.70 172.48	36.96 44.00 54.56 73.92 126.72
623½ 624 624½ 625 626 628	3 3½ 4 4½ 5 6 8 Machinists' V	\$36.00 42.00 50.00 62.00 84.00 144.00 280.00 ises—Swivel Jaw \$60.00	\$22.17 25.87 30.80 38.19 51.74 88.70 172.48 and Swivel Base \$36.96	36.96 44.00 54.56 73.92 126.72
623½ 624 624½ 625 626 628	3 3½ 4 4½ 5 6 8 Machinists' V	\$36.00 42.00 50.00 62.00 84.00 144.00 280.00 ises—Swivel Jaw	\$22.17 25.87 30.80 38.19 51.74 88.70 172.48 and Swivel Base	36.96 44.00 54.56 73.92 126.72 246.40

	Vise	Jaw	List	Athol Stocking	Resale			
	No.	Inches	Price Milling Machine V	Distributor ises	Price			
	Complete with		2 24	12-30%	12%			
	1024	4	\$62.50	\$38.50	\$55.00 71.72			
	1026 1027	6 7	81.50 116.00	50.20 71.45	102.08			
	Without Base	No. of the last	11000	W 100 100 100 100 100 100 100 100 100 10				
	1024	4	\$50.50	31.10	44.44			
	1026 1027	6 7	64.50 98.00	39.73 60.36	56.76 86.24			
-	1027		70.00	80.30	00.24			
		Drill Pre	ess and Milling Ma					
	813	3	\$52.00	12-30% \$32.03	12% \$45.76			
	9131/2	31/2	18.75	11.55	16.50			
	C	ombination vi	ses—stationary Jav	v and Swivel Base	12%			
	3231/2	31/2	\$52.00	\$32.03	\$45.76			
	3241/2×	41/2	74.00	45.58	65.12			
	325x	5	114.00	70.22	100.32			
	326x	6	180.00	110.88	158.40			
			Steamfitters' Vis		The state of the s			
	1115	5	\$105.00	30% \$73.50	Net \$105.00			
			Plumbers' Vises					
			Fioribers vises	25%	NET			
	212	2	\$ 12.35	\$ 9.26	\$12.35			
	2121/2	21/2	14.60	10.95	14.60			
	2131/2	3½ 4½	22.15 28.80	16.61 21.60	22.15 28.80			
	216	6	65.00	48.75	65.00			
	218	8	131.50	98.63	131.50			
-	Shor	atmotal Works	ve' Vice_Stationary	Jaw and Swivel Bo	160			
	Sue	eimeiai worke	rs vise—stationary	12-30%	12%			
	424½x	41/2	\$70.00	\$43.12	\$61.60			
	Aal	ad Hillity Vice	c Stationary law	and Stationary Bas	•			
	All	noi Offility Vise	s—stationary Jaw	12-30%	12%			
	114L	4	\$23.50	\$14.47	\$20.68			
	114½L	41/2	26.75	16.47	23.54			
	Machinists'	Vises with Rate	chet Handle—Statio	nary Jaw and Stati	onary Base			
		100000 000000		12-30%	12%			
	ratchet handle	3	\$33.75	\$20.79	\$29.70			
	ratchet handle	31/2	38.50	23.71 28.02	33.88 40.04			
614 With	ratchet handle	4	45.50					
	Machinists'	Vises with Re	atchet Handle—Stat	tionary Jaw and Sw				
	400119	Total Control	100	12-30%	12%			
	ratchet handle	3 31/2	\$41.50 48.50	\$25.56 29.87	\$36.52 42.68			
	ratchet handle	4	57.50	35.42	50.60			
		Special Morks	han Vice_Stationa	ry Jaw and Swivel	Rase			
	Amol	special-works	hop vise—stationa	50%	33-1/3%			
	A31/2S	31/2	\$12.00 East	\$ 6.00	\$ 8.00			
	08.237	22,011	13.00 West	6.50	8.67			
		Minimum	Order — One Case — 6 Vi	ses to a Case.				
	Atl	hol Universal		aw and Swivel Bas	е			
	03,552	Vises	List Full		Net			
Vise	Jaw	Per	Price Lo	ts Lots	Resale			
No.	Inches	Case		50 \$ 7.70	33-1/3%			
023 023 1/2	31/2	6	\$15.00 \$ 7 16.50 8	.50 \$ 7.70 .25 8.45	\$10.00 11.00			
024	4	3 07.88		.50 10.75	14.00			
	Precision Instrument Vise—Stationary Jaw and Swivel Base							
				12-30%	12%			
	6221/2	21/2	\$28.40	\$17.49	\$24.99			
	91220	10,400	Brass Jaw Cap	S				
		3	\$ 4.60	\$ 2.83	\$ 4.05			
		31/2	5.40	3.33	4.75			
		4 41/2	6.40 7.40	3.94 4.56	5.63 6.51			
		5	9.20	5.67	8.10			
			CALL THE STATE OF					